

Plan pozyskania w roku 2025

Lp.	Adres leśny	Grupa czynności	Pow. w ha
1	01-09-1-01-783 -b -00	TPP	1,63
2	01-09-1-01-792 -f -00	TPP	3,6
3	01-09-1-01-796 -a -00	TPP	1,86
4	01-09-1-01-803 -g -00	TPP	0,56
5	01-09-1-01-810 -b -00	TPP	0,92
6	01-09-1-01-811 -b -00	TPP	2,53
7	01-09-1-01-812 -d -00	TPP	2,13
8	01-09-1-01-815 -j -00	TWP	1,76
9	01-09-1-01-815 -k -00	TPP	0,72
10	01-09-1-01-816 -k -00	TWP	3,36
11	01-09-1-01-821 -h -00	IIIA	3,38
12	01-09-1-01-824 -a -00	TPP	2,9
13	01-09-1-01-827 -a -00	TWP	5,93
14	01-09-1-01-829 -g -00	IB	3,74
15	01-09-1-01-833 -a -00	IB	2,77
16	01-09-1-01-834 -a -00	IIB	2,5
17	01-09-1-02-499 -c -00	TPP	0,43
18	01-09-1-02-504 -d -00	CSS	3,46
19	01-09-1-02-533 -d -00	TPP	0,84
20	01-09-1-02-534 -c -00	TPP	2,14
21	01-09-1-02-535 -f -00	TPP	1,03
22	01-09-1-02-537 -d -00	TPP	3,69
23	01-09-1-02-597 -b -00	TWP	4,35
24	01-09-1-02-598 -c -00	TPP	4,82
25	01-09-1-02-623 -d -00	IB	3,9
26	01-09-1-02-625 -f -00	TPP	0,97
27	01-09-1-02-664 -b -00	TPP	1,3
28	01-09-1-02-665 -a -00	TPP	7,59
29	01-09-1-02-666 -a -00	TPP	10,72
30	01-09-1-02-666 -c -00	TPP	1,67
31	01-09-1-02-667 -h -00	CSS	2,57
32	01-09-1-02-686 -b -00	TPP	1,28
33	01-09-1-02-686 -d -00	TPP	1,83
34	01-09-1-02-686 -g -00	TPP	1,9
35	01-09-1-02-690 -b -00	TPP	1,19
36	01-09-1-02-690 -c -00	TPP	1,05
37	01-09-1-02-716 -a -00	TPP	5,56
38	01-09-1-02-725 -c -00	CSS	1,55
39	01-09-1-02-733 -c -00	IIIA	2,32
40	01-09-1-03-551 -g -00	TPP	2,73
41	01-09-1-03-553 -j -00	TPP	1,09
42	01-09-1-03-568 -d -00	TPP	0,6
43	01-09-1-03-607 -d -00	TWP	3,42
44	01-09-1-03-607 -g -00	TPP	2,51
45	01-09-1-03-607 -h -00	TWP	0,32
46	01-09-1-03-633 -b -00	CSS	2,16

47	01-09-1-03-637 -c -00	TPP	3,16
48	01-09-1-03-680 -f -00	IB	3,29
49	01-09-1-03-680 -i -00	TWP	2,13
50	01-09-1-03-682 -i -00	TPP	2,64
51	01-09-1-03-726 -d -00	TPP	2,97
52	01-09-1-03-726 -f -00	TWP	1,01
53	01-09-1-03-728 -b -00	TPP	3,97
54	01-09-1-03-728 -c -00	TPP	2,86
55	01-09-1-03-728 -d -00	TPP	1,45
56	01-09-1-03-729 -i -00	TPP	3,45
57	01-09-1-03-738 -c -00	CSS	2,74
58	01-09-1-03-746 -i -00	IB	3,92
59	01-09-1-03-747 -c -00	TWP	2,23
60	01-09-1-03-754 -b -00	IB	3,17
61	01-09-1-03-755 -c -00	IB	2,65
62	01-09-1-03-759 -l -00	TWP	1,54
63	01-09-1-04-102 -d -00	TPP	2,56
64	01-09-1-04-102 -i -00	IIBU	2,07
65	01-09-1-04-102 -j -00	TWP	3,08
66	01-09-1-04-136 -a -00	TWP	7,91
67	01-09-1-04-140 -a -00	IIB	1,73
68	01-09-1-04-140 -c -00	TWP	1,52
69	01-09-1-04-141 -k -00	TWP	2,77
70	01-09-1-04-141 -m -00	TWP	1,88
71	01-09-1-04-211 -h -00	TWP	2,25
72	01-09-1-04-313 -r -00	TPP	0,83
73	01-09-1-04-314 -bx -00	TPP	1,96
74	01-09-1-04-375 -h -00	TPP	9,83
75	01-09-1-04-377 -k -00	IIIA	1,51
76	01-09-1-04-378 -g -00	TWP	3,13
77	01-09-1-04-415 -i -00	IB	2,44
78	01-09-1-04-415 -j -00	IB	1,31
79	01-09-1-04-443 -i -00	IIIA	1,66
80	01-09-1-04-446 -c -00	TWP	10,96
81	01-09-1-04-449 -f -00	TWP	4,93
82	01-09-1-04-472 -a -00	TPP	11,06
83	01-09-1-04-472 -h -00	TPP	0,18
84	01-09-1-04-474 -k -00	TPP	1,31
85	01-09-1-04-476 -i -00	TWP	1,45
86	01-09-1-04-514 -c -00	TWP	4,87
87	01-09-1-05-455 -d -00	TWP	2,67
88	01-09-1-05-495 -b -00	TWP	7,3
89	01-09-1-05-528 -j -00	TWP	1,31
90	01-09-1-05-591 -d -00	TPP	5,85
91	01-09-1-05-591 -g -00	TWP	2,51
92	01-09-1-05-594 -d -00	TPP	10,74
93	01-09-1-05-616 -a -00	TPP	3,73
94	01-09-1-05-660 -a -00	TPP	5,81
95	01-09-1-05-712 -c -00	IB	2,62
96	01-09-1-05-712 -g -99	CSS	2,12

97	01-09-1-05-714 -c -00	TPP	3,76
98	01-09-1-05-780 -f -00	CSS	2,6
99	01-09-1-05-807 -bx -00	IB	1,2
100	01-09-1-06-58 -b -00	TWP	0,9
101	01-09-1-06-60 -w -00	TWP	1,37
102	01-09-1-06-89 -n -00	IIIA	3,45
103	01-09-1-06-94 -j -00	IB	3,94
104	01-09-1-06-122 -j -00	TPP	2,57
105	01-09-1-06-122 -k -00	IIIAU	3,05
106	01-09-1-06-122 -l -00	TWP	2,4
107	01-09-1-06-122 -m -00	IIIAU	2
108	01-09-1-06-122 -n -99	TWP	1,89
109	01-09-1-06-122 -o -00	TPP	1,33
110	01-09-1-06-123 -f -00	IIIAU	1,09
111	01-09-1-06-123 -g -00	IIIAU	2,75
112	01-09-1-06-123 -i -00	TPP	1,28
113	01-09-1-06-130 -a -00	TWP	3,73
114	01-09-1-06-130 -c -00	TPP	1,27
115	01-09-1-06-192 -b -00	IIIA	2,51
116	01-09-1-06-298 -p -00	TPP	0,97
117	01-09-1-06-362 -a -00	TPP	1,25
118	01-09-1-06-362 -b -00	TPP	5,61
119	01-09-1-06-362 -g -00	TWP	8,19
120	01-09-1-06-398 -a -00	TWP	3,2
121	01-09-1-06-398 -b -00	TPP	2,69
122	01-09-1-06-400 -b -00	TWP	2,52
123	01-09-1-06-401 -b -00	TWP	2,32
124	01-09-1-06-401 -f -00	TWP	1,36
125	01-09-1-06-402 -g -00	TPP	0,49
126	01-09-1-06-403 -h -00	TWP	2,6
127	01-09-1-06-434 -a -00	TPP	12,22
128	01-09-1-07-20 -j -00	TWP	0,8
129	01-09-1-07-22 -g -00	TWP	2,04
130	01-09-1-07-22 -h -99	TPP	9,22
131	01-09-1-07-22 -i -00	TWP	1,39
132	01-09-1-07-23 -c -00	TPP	6,34
133	01-09-1-07-24A -b -00	TPP	3,63
134	01-09-1-07-26 -h -00	TWP	5,27
135	01-09-1-07-26 -l -00	TWP	1,09
136	01-09-1-07-39 -f -00	TWP	3,48
137	01-09-1-07-39 -i -00	IB	3,83
138	01-09-1-07-78 -c -99	IB	3
139	01-09-1-07-111 -b -99	IB	2,76
140	01-09-1-07-158 -b -00	TPP	3,11
141	01-09-1-07-181 -d -00	TPP	2,13
142	01-09-1-07-181 -f -00	TPP	2,34
143	01-09-1-07-226 -b -00	TWP	7,01
144	01-09-1-07-261 -d -00	TPP	6,08
145	01-09-1-07-263 -a -00	TPP	7,94
146	01-09-1-07-263 -d -00	CSS	2,38

147	01-09-1-08-35 -h -00	IIIA	5,92
148	01-09-1-08-105 -g -00	TWP	1,12
149	01-09-1-08-145 -h -00	TWP	0,56
150	01-09-1-08-146 -a -00	TPP	12,37
151	01-09-1-08-146 -b -00	TPP	4,23
152	01-09-1-08-147 -b -00	TPP	1,21
153	01-09-1-08-147 -c -01	IIIA	3,89
154	01-09-1-08-147 -c -02	IIIA	3,72
155	01-09-1-08-148 -a -99	IB	2,94
156	01-09-1-08-174 -d -00	IB	3,18
157	01-09-1-08-175 -a -00	IB	2,53
158	01-09-1-08-177 -c -99	CSS	2,9
159	01-09-1-08-221 -c -00	IB	1,08
160	01-09-1-08-221 -f -00	IIIA	1,57
161	01-09-1-08-281 -o -00	IIIA	2,55
162	01-09-1-09-258 -g -00	CSS	3,5
163	01-09-1-09-288 -b -00	IB	3,15
164	01-09-1-09-330 -c -00	IB	3,39
165	01-09-1-09-331 -f -00	IB	3,24
166	01-09-1-09-336 -c -00	TWP	2,51
167	01-09-1-09-347 -h -00	TWP	2,83
168	01-09-1-09-347 -m -00	TPP	0,75
169	01-09-1-09-350 -a -00	TPP	11,48
170	01-09-1-09-350 -b -00	TPP	5,37
171	01-09-1-09-354 -c -00	TPP	2,69
172	01-09-1-09-354 -f -00	TPP	4,99
173	01-09-1-09-354 -h -00	TPP	6,02
174	01-09-1-09-354 -i -00	TWP	0,73
175	01-09-1-09-392 -b -00	TWP	1,62
176	01-09-1-09-393 -i -00	TPN	3,48
177	01-09-1-09-393 -i -00	CSS	3,57
178	01-09-1-09-394 -a -00	TWP	2,69
179	01-09-1-09-427 -d -00	TWP	1,77
180	01-09-1-10-10 -b -00	TPP	1,82
181	01-09-1-10-12 -d -00	IIIA	0,86
182	01-09-1-10-12 -g -00	IIIA	0,85
183	01-09-1-10-12 -n -00	TPP	2,26
184	01-09-1-10-12 -o -00	TWP	1,54
185	01-09-1-10-15 -o -00	TPP	2,72
186	01-09-1-10-16 -m -00	TPP	3,71
187	01-09-1-10-18 -k -00	TPP	2,13
188	01-09-1-10-28 -b -00	TWP	0,43
189	01-09-1-10-28 -c -00	TWP	0,44
190	01-09-1-10-43 -b -00	IIIAU	3,49
191	01-09-1-10-43 -g -99	IIIA	5,77
192	01-09-1-10-83 -c -00	TWP	0,73
193	01-09-1-10-84 -g -00	TPP	0,92
194	01-09-1-10-86 -b -00	IB	0,83
195	01-09-1-10-86 -h -00	TWP	2,24
196	01-09-1-10-88 -b -00	IB	1,37

197	01-09-1-10-115 -f -00	TPP	0,7
198	01-09-1-10-161 -a -00	TPP	2,46
199	01-09-1-10-161 -c -00	TPP	1,97
200	01-09-1-10-161 -f -00	TPP	0,8
201	01-09-1-10-233 -d -99	IB	2,85
202	01-09-1-10-233 -h -99	IB	1,12
203	01-09-1-10-294 -f -00	TWP	0,55
204	01-09-1-11-381 -c -00	TPP	4,11
205	01-09-1-11-381 -h -00	TWP	1,11
206	01-09-1-11-482 -h -00	TWP	3,2
207	01-09-1-11-489 -a -00	IB	4,05
208	01-09-1-11-491 -d -00	TWP	2,75
209	01-09-1-11-492 -c -00	TPP	0,76
210	01-09-1-11-492 -f -00	TPP	3,22
211	01-09-1-11-521 -a -00	IB	2,8
212	01-09-1-11-521 -l -00	IB	0,58
213	01-09-1-11-527 -j -00	TPP	1,12
214	01-09-1-11-572 -c -00	TWP	2,5
215	01-09-1-11-573 -c -00	TWP	3,04
216	01-09-1-11-584 -c -00	TPP	3,75
217	01-09-1-11-585 -c -00	TPP	3,65
218	01-09-1-11-590 -c -00	TPP	2,15
219	01-09-1-11-610 -a -00	TPP	2,65
220	01-09-1-11-610 -b -99	CSS	3,33
221	01-09-1-11-654 -c -00	IB	3,62
222	01-09-1-11-694 -c -00	TPP	1,32
223	01-09-1-11-694 -f -00	TPP	5,64
224	01-09-1-11-694 -h -00	TWP	0,68
225	01-09-1-11-694 -m -00	TPP	2,73
226	01-09-1-11-708 -f -00	IB	3,32
227	01-09-1-11-709 -j -00	TPP	2,92
228	01-09-1-11-709 -k -00	TPP	0,32
229	01-09-1-11-709 -r -00	TPP	0,85
230	01-09-1-11-710 -c -00	TPP	2,46
231	01-09-1-11-711 -a -00	TPP	6,28
232	01-09-2-13-6 -c -00	TWP	3,24
233	01-09-2-13-10 -d -00	IIIAU	4,58
234	01-09-2-13-10 -f -00	TPP	1,61
235	01-09-2-13-13 -f -00	TPP	1,44
236	01-09-2-13-14 -a -00	TPP	1,15
237	01-09-2-13-14 -k -00	TPP	2,42
238	01-09-2-13-14 -m -00	TPP	1,35
239	01-09-2-13-14 -o -00	TPP	0,85
240	01-09-2-13-14 -p -00	TPP	1,11
241	01-09-2-13-16 -a -00	TWP	2,48
242	01-09-2-13-23 -f -00	TPP	2,12
243	01-09-2-13-23 -h -00	TPP	2,36
244	01-09-2-13-24 -b -00	TWP	1,62
245	01-09-2-13-24 -f -00	TPP	1,41
246	01-09-2-13-24 -j -00	TPP	3,32

247	01-09-2-13-25 -a -00	TPP	6,81
248	01-09-2-13-25 -b -00	IIIAU	6,04
249	01-09-2-13-28 -d -00	TWP	1,59
250	01-09-2-13-31 -a -00	TPP	3,39
251	01-09-2-13-31 -b -00	TPP	0,57
252	01-09-2-13-60 -c -00	TPP	1,12
253	01-09-2-13-60 -l -00	TPP	1,48
254	01-09-2-13-60 -n -99	TPP	10,47
255	01-09-2-13-61 -b -00	TPP	1,9
256	01-09-2-13-61 -d -00	TPP	3,49
257	01-09-2-13-63 -c -00	TWP	1,01
258	01-09-2-13-93 -c -00	IB	2,88
259	01-09-2-13-93 -j -00	IB	1,63
260	01-09-2-13-420 -c -00	TWP	1,33
261	01-09-2-13-420 -f -00	TWP	0,71
262	01-09-2-13-420 -h -00	TWP	1,23
263	01-09-2-14-96 -a -00	TPP	2,22
264	01-09-2-14-97 -c -00	TPP	1,94
265	01-09-2-14-97 -f -00	TPP	5,14
266	01-09-2-14-98 -d -00	TPP	3,22
267	01-09-2-14-98 -h -00	TPP	2,23
268	01-09-2-14-99 -c -00	TPP	1,98
269	01-09-2-14-99 -d -00	TPP	5,99
270	01-09-2-14-99 -g -00	TWP	2,51
271	01-09-2-14-102 -a -00	CSS	1,96
272	01-09-2-14-102 -g -00	IVD	2,15
273	01-09-2-14-104 -c -00	TPP	1,06
274	01-09-2-14-106 -d -00	TPP	2,24
275	01-09-2-14-106 -g -00	TPP	0,8
276	01-09-2-14-106 -h -00	TPP	1,63
277	01-09-2-14-106 -j -00	IIIAU	2,84
278	01-09-2-14-107 -c -00	TPP	0,74
279	01-09-2-14-107 -j -00	TPP	0,6
280	01-09-2-14-107 -l -00	TWP	1,72
281	01-09-2-14-108 -d -00	TPP	5,84
282	01-09-2-14-108 -g -00	TPP	2,71
283	01-09-2-14-110 -f -00	IIIAU	4,45
284	01-09-2-14-110 -g -00	TPP	1,89
285	01-09-2-14-111 -a -00	TPP	1,37
286	01-09-2-14-111 -h -00	TPP	0,76
287	01-09-2-14-112 -c -00	TWP	2,03
288	01-09-2-14-113 -a -00	TWP	2,6
289	01-09-2-14-117 -b -00	TPP	1,32
290	01-09-2-14-123 -a -99	TPP	8,19
291	01-09-2-14-123 -c -00	TPP	5,72
292	01-09-2-14-123 -d -00	TPP	1,22
293	01-09-2-14-124A -f -00	TPP	12,91
294	01-09-2-14-183 -f -00	TPP	3,04
295	01-09-2-14-185 -i -00	TWP	4,17
296	01-09-2-14-186 -a -00	TPP	1,26

297	01-09-2-14-186 -b -00	TPP	1,37
298	01-09-2-14-186 -g -00	TPP	0,94
299	01-09-2-14-186 -h -00	TPP	1,22
300	01-09-2-14-186 -i -00	TPP	0,85
301	01-09-2-15-34 -b -00	IIIA	6,33
302	01-09-2-15-38 -d -00	TWP	2,27
303	01-09-2-15-38 -k -00	IB	3,12
304	01-09-2-15-40 -c -00	TPP	4,69
305	01-09-2-15-48 -c -00	TPP	2,79
306	01-09-2-15-49 -f -00	TWP	1,7
307	01-09-2-15-56 -c -00	TWP	3,31
308	01-09-2-15-58 -a -00	IB	3,21
309	01-09-2-15-58 -j -00	TPP	3,07
310	01-09-2-15-64A -a -00	TWP	1,13
311	01-09-2-15-64A -l -00	TWP	1,14
312	01-09-2-15-65 -d -00	IIIAU	2,95
313	01-09-2-15-68 -d -00	TWP	2,28
314	01-09-2-15-68 -k -00	TWP	0,82
315	01-09-2-15-69 -b -00	TWP	2,41
316	01-09-2-15-74 -d -00	IIIA	4,32
317	01-09-2-15-74E -a -00	IIIA	3,82
318	01-09-2-15-74E -b -00	IIIA	1,89
319	01-09-2-15-75 -a -00	TPP	7,32
320	01-09-2-15-75 -j -00	TPP	1,46
321	01-09-2-15-75 -m -00	TPP	1,04
322	01-09-2-15-76 -a -99	TPP	10,94
323	01-09-2-15-81 -g -00	TPP	5,07
324	01-09-2-15-88 -d -00	IIIAU	1,66
325	01-09-2-16-218 -f -00	IB	1,4
326	01-09-2-16-218 -h -00	IB	1,3
327	01-09-2-16-218 -i -00	TWP	0,42
328	01-09-2-16-220 -g -00	IIIAU	3,25
329	01-09-2-16-223 -b -00	TWP	1,79
330	01-09-2-16-228 -a -00	TWP	2,56
331	01-09-2-16-242 -k -00	TWP	1,03
332	01-09-2-16-243 -g -00	IIIAU	2,91
333	01-09-2-16-252 -g -00	TWP	3,25
334	01-09-2-16-252 -h -00	TPP	4,38
335	01-09-2-16-254 -d -00	TPP	2,05
336	01-09-2-16-254 -f -00	TPP	3,89
337	01-09-2-16-255 -f -00	TPP	2,46
338	01-09-2-16-255 -h -00	TPP	6,81
339	01-09-2-16-255 -i -00	TPP	1,22
340	01-09-2-16-256 -a -00	TPP	7
341	01-09-2-16-256 -c -00	TWP	2,28
342	01-09-2-16-256 -d -00	TPP	2,96
343	01-09-2-16-256 -g -00	TPP	3,36
344	01-09-2-16-257 -j -00	TPP	2,02
345	01-09-2-16-414 -b -00	TPP	2,56
346	01-09-2-16-414 -c -00	TPP	14,05

347	01-09-2-17-314 -b -00	TWP	1,21
348	01-09-2-17-315 -j -00	TPP	0,72
349	01-09-2-17-315 -l -00	TPP	1,38
350	01-09-2-17-315 -n -00	TPP	2,16
351	01-09-2-17-320 -a -00	TPP	1,74
352	01-09-2-17-320 -b -00	TPP	4,67
353	01-09-2-17-322 -d -00	TPP	1,29
354	01-09-2-17-323 -h -00	IIB	3,3
355	01-09-2-17-324 -c -00	TPP	3,65
356	01-09-2-17-324 -d -00	TWP	2,26
357	01-09-2-17-324 -i -00	TPP	2,97
358	01-09-2-17-331 -c -99	IB	3,58
359	01-09-2-17-331 -d -00	TPP	1,44
360	01-09-2-17-332 -g -00	TWP	2,82
361	01-09-2-17-333 -j -00	TPP	3,74
362	01-09-2-17-334 -g -00	TPP	13,75
363	01-09-2-17-337 -c -00	IVD	4,16
364	01-09-2-17-339 -j -00	PRZEST	-
365	01-09-2-17-341 -p -00	TWP	2,86
366	01-09-2-17-342 -r -00	TPP	2,99
367	01-09-2-17-348 -b -00	TWP	11,23
368	01-09-2-17-348 -g -00	TPP	1,49
369	01-09-2-17-348 -h -00	TPP	3,57
370	01-09-2-17-348 -k -00	TPP	1,77
371	01-09-2-17-355 -h -00	TPP	1,14
372	01-09-2-17-356 -a -00	IB	2,3
373	01-09-2-17-356 -h -00	TPP	2,1
374	01-09-2-18-365 -h -00	IIIAU	2,95
375	01-09-2-18-367 -a -00	TPP	1,76
376	01-09-2-18-367 -h -00	TPP	0,64
377	01-09-2-18-368 -a -00	TPP	1,09
378	01-09-2-18-368 -c -00	IIIAU	4,4
379	01-09-2-18-368 -f -00	TPP	0,57
380	01-09-2-18-370 -b -00	IIIAU	3,4
381	01-09-2-18-371 -c -00	TPP	1,95
382	01-09-2-18-372 -a -00	TWP	5,97
383	01-09-2-18-374 -a -00	TPP	4,64
384	01-09-2-18-375 -j -00	TPP	1,01
385	01-09-2-18-376 -g -00	TWP	2,72
386	01-09-2-18-377 -g -00	TWP	2,83
387	01-09-2-18-379 -i -00	TPP	2,59
388	01-09-2-18-379A -b -00	IIIA	1,49
389	01-09-2-18-380 -b -00	TPP	1,43
390	01-09-2-18-380 -f -00	TPP	4,3
391	01-09-2-18-383 -g -00	IB	3,35
392	01-09-2-18-384 -c -00	TWP	1,94
393	01-09-2-18-388 -c -00	IIIA	2,68
394	01-09-2-18-399 -d -00	TPP	3,47
395	01-09-2-18-400 -a -00	TPP	2,93
396	01-09-2-18-400 -c -00	TPP	9,56

397	01-09-2-18-405 -b -00	IIIA	4,5
398	01-09-2-18-406 -f -00	IB	0,8
399	01-09-2-19-261 -c -00	TWP	0,94
400	01-09-2-19-273 -g -00	IIIAU	3,82
401	01-09-2-19-274 -g -00	TPP	2,02
402	01-09-2-19-276 -g -00	TPP	1,48
403	01-09-2-19-276 -j -00	TPP	1,51
404	01-09-2-19-277 -a -00	TPP	5,62
405	01-09-2-19-277 -d -00	TPP	1,3
406	01-09-2-19-284 -f -00	TPP	4,01
407	01-09-2-19-285 -a -00	TPP	0,64
408	01-09-2-19-285 -d -00	TPP	1,06
409	01-09-2-19-285 -g -00	TPP	1,22
410	01-09-2-19-286 -a -00	TPP	1,18
411	01-09-2-19-286 -b -00	TPP	1,49
412	01-09-2-19-286 -i -00	TPP	1,16
413	01-09-2-19-289 -c -00	TPP	7,99
414	01-09-2-19-289 -d -00	TPP	3,03
415	01-09-2-19-290 -i -00	TPP	2,92
416	01-09-2-19-291 -a -00	TPP	1,56
417	01-09-2-19-291 -b -00	TPP	0,91
418	01-09-2-19-291 -f -00	TPP	1,33
419	01-09-2-19-291 -g -00	TPP	1,8
420	01-09-2-19-291 -i -00	TPP	5,39
421	01-09-2-19-291 -n -00	TPP	1,14
422	01-09-2-19-292 -a -00	TPP	0,62
423	01-09-2-19-292 -b -00	TPP	2,95
424	01-09-2-19-292 -d -00	TPP	2,13
425	01-09-2-19-292 -g -00	TPP	3,02
426	01-09-2-19-292 -h -00	TPP	3,11
427	01-09-2-19-292 -i -00	TPP	5,98
428	01-09-2-19-292 -k -00	TPP	1,21
429	01-09-2-19-293 -b -00	TPP	3,33
430	01-09-2-19-294 -b -00	TPP	0,72
431	01-09-2-19-294 -d -00	TPP	4,07
432	01-09-2-19-297 -g -00	IIIAU	5,21
433	01-09-2-19-297 -h -00	TPP	1,48
434	01-09-2-19-297 -j -00	TPP	0,96
435	01-09-2-19-298 -b -00	IIIAU	5,06
436	01-09-2-19-298 -g -00	TPP	2,42
437	01-09-2-19-307 -f -00	TWP	0,69
438	01-09-2-19-308 -f -00	TPP	4,71
439	01-09-2-19-309 -c -00	TPP	8,85
440	01-09-2-20-128 -c -00	IB	1,64
441	01-09-2-20-130 -a -00	TPP	1,23
442	01-09-2-20-131 -c -00	IIIAU	3,48
443	01-09-2-20-133 -a -00	TPP	2,2
444	01-09-2-20-133 -b -00	TPP	0,53
445	01-09-2-20-133 -c -00	TPP	0,69
446	01-09-2-20-134 -a -00	TWP	3,82

447	01-09-2-20-136 -h -00	IIIA	2,44
448	01-09-2-20-138 -b -00	PRZEST	-
449	01-09-2-20-139 -f -00	TWP	2,44
450	01-09-2-20-141 -g -00	TPP	2,16
451	01-09-2-20-142 -g -00	TPP	2,78
452	01-09-2-20-143 -f -00	IB	2,57
453	01-09-2-20-144 -d -00	TPP	1,16
454	01-09-2-20-145 -b -00	TWP	2,89
455	01-09-2-20-147 -c -00	TPP	2,48
456	01-09-2-20-147 -f -00	TPP	3,01
457	01-09-2-20-152 -f -00	TPP	0,81
458	01-09-2-20-153 -i -00	TPP	2,06
459	01-09-2-20-153 -j -00	TPP	1,18
460	01-09-2-20-155 -b -00	IB	2,25
461	01-09-2-20-158 -h -00	TWP	0,92
462	01-09-2-20-161 -c -00	IIB	1,59
463	01-09-2-20-168 -d -00	TPP	0,48
464	01-09-2-20-169 -f -00	TPP	2,06
465	01-09-2-20-170 -f -00	IB	0,79
466	01-09-2-20-176 -f -00	TPP	0,81
467	01-09-2-20-177 -f -00	PRZEST	-
468	01-09-2-20-177 -k -00	TWP	1,3
469	01-09-2-20-179 -f -00	TPP	1,19
470	01-09-2-20-181 -c -00	TPP	2,46
471	01-09-2-20-189 -c -00	TPP	0,76
472	01-09-2-20-189 -d -00	TPP	3,71
473	01-09-2-20-191 -a -00	TPP	2,31
474	01-09-2-20-201 -g -00	TPP	2,88
475	01-09-2-20-201 -h -00	TPP	3,02
476	01-09-2-20-201 -m -00	TPP	1,26
477	01-09-2-20-201 -n -00	TPP	3,19
	RAZEM		1352,77